

**PRODUCT PROFILES OF HOMOEOPATHIC PLANT NUTRIENTS**

**MANUFACTURED BY**

**M/S MASTER AGRO PRODUCTS** ®

**SRIKAKULAM.**

**PRODUCE, EAT AND LIVE NATURALLY**

## Organic plant nutrient “MADHURIMA”

For Sugar Cane crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Virgenia Poke 2.Burm-F 3.Quercus 4.Greater Calandine 5.Valeriana  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant nutrient. Improves quality of the juice , recovery of sugar taste and shelf-life.
- 4.Recommendation** : For Sugar Cane crop.
- 5. Packing** : 1 litres to 5 litres
- 6. Expiry** : No Expiry
- 7. Quantity per Acre** : 30ml x 15 sprayers X 4 applications.  
= 450ml X 4 applications = 2.2 litres per crop period.
- 8.Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application.4 such applications per acre per crop period.
- 9.Schedule** : 1<sup>st</sup> application – During sowing or after harvesting (first wetting).  
2<sup>nd</sup> application – 45 days after Sowing.  
3<sup>rd</sup> application – 90 days after sowing.  
4<sup>th</sup> application – 135 days after sowing.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

**Produce,eat and live naturally.**

**Contact:** Master Agro Products, MIG-95,OZP Colony,  
Srikakulam-532001 ,Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient**

**““RAMBHA”**

For Banana Plantation.

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Burm-F 2.Quercus 3.Greater Calandine 4.Valeriana  
5.Yarrow  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant nutrient. Improves quality of the fruit ,  
taste and shelf-life.
- 4.Recommendation** : For Banana plantation
- 5. Packing** : 1 litres to 5 litres
- 6. Expiry** : No Expiry
- 7. Quantity per Acre** : 2ml X 800 pl X 6applications. = 1600 ml X 6 applications  
= 9.60 litres per crop period.
- 8.Method of usage** : Add 6 ml of tincture to 10 lts of water 3 litres of mixture cluster as,  
soil application.6 such applications per acre per crop period.
- 9.Schedule** : Repeat the application for every two months.

Note : 1) Application in the evening hours,after wetting the soil is preferable to  
make the medicine more effective.

***Produce,eat and live naturally.***

**Contact: Master Agro Products, MIG-95,OZP Colony,  
Srikakulam-532001, Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)**

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient  
"BHOOPHALA"**

For Groundnut crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Yarrow 2.Catamber bean 3.Greater Calandine 4.English oak  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant nutrient.Improves yields, quality of the nuts, taste and shelf-life.
- 4.Recommendation** : For Groundnut crop.
- 5. Packing** : 1 litres to 5 litres
- 6. Expiry** : No Expiry
- 7. Quantity per Acre** : 30ml x 15 sprayers X 3 applications. = 450ml X 3 applications  
= 1.350 litres per crop period.
- 8.Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 3 such applications per acre per crop period.
- 9.Schedule** : 1<sup>st</sup> application – During sowing in furrows, or after germination.  
2<sup>nd</sup> application – 30 days after Sowing.  
3<sup>rd</sup> application – 75 days after sowing.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

**Produce,eat and live naturally.**

**Contact: Master Agro Products, MIG-95,OZP Colony,  
Srikakulam-532001 , Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)**

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient  
"CHAITRA RATHAM"**

**For Fruit bearing trees**

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition :** 1.Burm-F 2.Quercus 3.Greater Calandine 4.Virgenia Poke  
5.Cranberry High Bush.  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source :** Botanical
- 3.Action :** Acts as Complete plant nutrient. Improves yields quality of the fruit , taste and shelf-life.
- 4.Recommendation:** For Mango,Gua,Cashew, Pomegranite, Mosambi,Orange, plantation,Papayya, Sapodilla,gooseberry,Lemon etc plantations.
- 5. Packing :** 1 litres to 5 litres
- 6. Expiry :** No Expiry
- 7. Quantity per Tree :** 10 ml per application 2 such applications per annum.
- 8.Method of usage :** Add 10 ml of tincture to 10 lts of water and apply as soil application.Preferably in a ring which should be one meter away from trunk.
- 9.Schedule :** Apply once in June / July – early monsoon and second in October / November – end of monsoon.Repeat the application for every two months.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

**Produce,eat and live naturally.**

**Contact: Master Agro Products, MIG-95,OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)**

**Mob: 8639495640, 8500270180 & 9491817252**

Organic plant nutrient  
**“GANGADHAR”**

**For Coconut plantation**

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Black snake root 2.Quercus 3.Greater Calandine 4.Yarrow  
5.Dandelion 6. Oak  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant nutrient. Improves Yields, quality of the fruit, taste and shelf-life.
- 4.Recommendation:** For Coconut,Acraanut,Oil Palm trees.
- 5. Packing** : **0.50 litres to 5 litres**
- 6. Expiry** : **No Expiry**
- 7. Quantity per Tree:** 10 ml per application 5 such applications per annum.
- 8.Method of usage** : Add 10 ml of tincture to 10 lts of water and apply as soil application. Preferably in a ring which should be two meter away from trunk.
- 9.Schedule** : Apply once in June / July – early monsoon and second application 30 days after 1st application. Repeat the application for every three months.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

**Produce,eat and live naturally.**

**Contact: Master Agro Products,  
MIG-95,OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)**

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient  
"JAWAHAR"**

For Sorghum (Jowar), Bajra crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Yarrow 2.Theobrome Ang 3.Greater Calandine 4.English oak  
5. Burm-F  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant Nutrient. Improves yields,quality of the nuts,taste and shelf-life.
- 4.Recommendation:** For Sorghum (Jowar),Bajra crop.
- 5. Packing** : 1 litres to 5 litres
- 6. Expiry** : No Expiry
- 7. Quantity per Acre** : 30ml x 15 sprayers X 2 applications. = 450ml X 2 applications  
= 900 ml per crop period.
- 8.Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 2 such applications per acre per crop period.
- 9.Schedule** : 1<sup>st</sup> application – Before sowing or 15 days after sowing.  
2<sup>nd</sup> application – 60 days after Sowing.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

***Produce,eat and live naturally.***

**Contact:** Master Agro Products,  
MIG-95,OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient  
"JAWAHAR"**

For Sorghum (Jowar), Bajra crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



**1. Composition :** 1.Yarrow 2.Nettle 3.Greater Calandine 4.English oak 5. Terminalia Arjuna  
6.Cranberry high bush  
(Potentized as per Homoeopathic Pharmacopoeia of India)

**2.Source :** Botanical

**3.Action :** Acts as Complete plant Nutrient. Improves yields, quality of the nuts ,taste and shelf-life.

**4.Recommendation :** For Wheat crop.

**5. Packing :** 1 litres to 5 litres

**6. Expiry :** No Expiry

**7. Quantity per Acre :** 30ml x 15 sprayers X 3 applications. = 450ml X 3 applications  
= 1.35 litres per crop period.

**8.Method of usage :** Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 3 such applications per acre per crop period.

**9.Schedule :** 1<sup>st</sup> application – While sowing 2<sup>nd</sup> application – 30 days after Sowing.  
3<sup>rd</sup> application – 60 days after Sowing.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

**Produce,eat and live naturally.**

**Contact: Master Agro Products,  
MIG-95,OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)**

**Mob: 8639495640, 8500270180 & 9491817252**

**Organic plant nutrient  
“JYOTHI”**

**For Chilly crop**

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Yarrow 2.Ailanthus 3.Greater Calandine 4. Burm-F  
(Potentized as per Homoeopathic Pharmacopoeia of India)
  - 2.Source** : Botanical
  - 3.Action** : Acts as Complete plant Nutrient. Improves yields,quality of the chilly taste and shelf-life.
  - 4.Recommendation** : For Chilly crop.
  - 5. Packing** : 1 litres to 5 litres
  - 6. Expiry** : No Expiry
  - 7. Quantity per Acre** : 30ml x 15 sprayers X 4 applications. = 450ml X 4 applications  
= 1.80 litres per crop period.
  - 8.Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 4 such applications per acre per crop period.
  - 9.Schedule** : 1<sup>st</sup> application – While sowing 2<sup>nd</sup> application – 30 days after Sowing.  
3<sup>rd</sup> application– 60 days after Sowing. 4<sup>th</sup> application– 90 days after Sowing.
- Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

***Produce,eat and live naturally.***

**Contact:** **Master Agro Products,**  
**MIG-95,OZP Colony,**  
**Srikakulam-532001 Andhra Pradesh**  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
**Mob: 8639495640, 8500270180 & 9491817252**

Organic plant nutrient  
"SURYASRI"

For Sunflower crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.American High Shade 2.Black snake root 3.Greater Calandine  
4. Burm-F  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2. Source** : Botanical
- 3. Action** : Acts as Complete plant Nutrient. Improves yields, quality of the oil ,taste and shelf-life.
- 4. Recommendation:** For Sunflower crop.
- 5. Packing** : **1 litres to 5 litres**
- 6. Expiry** : **No Expiry**
- 7. Quantity per Acre** : 30ml x 15 sprayers X 2 applications. = 450ml X 2 applications  
= 900 ml per crop period.
- 8. Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 2 such applications per acre per crop period.
- 9. Schedule** : 1<sup>st</sup> application – 10 days after sowing 2<sup>nd</sup> application – 50 days after Sowing.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

***Produce,eat and live naturally.***

**Contact:** **Master Agro Products,**  
**MIG-95,OZP Colony,**  
**Srikakulam-532001**  
**Andhra Pradesh**  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
**Mob: 8639495640, 8500270180 & 9491817252**

Organic plant nutrient  
"SUMANTHA"

**For Finger Millet crop**

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



- 1. Composition** : 1.Theobrome Ang 2.English Oak 3.Greater Calandine 4. Burm-F  
(Potentized as per Homoeopathic Pharmacopoeia of India)
- 2.Source** : Botanical
- 3.Action** : Acts as Complete plant Nutrient. Improves yields,quality of the nuts,  
taste and shelf-life.
- 4.Recommendation** : For Sunflower crop.
- 5. Packing** : **1 litres to 5 litres**
- 6. Expiry** : **No Expiry**
- 7. Quantity per Acre** : 30ml x 15 sprayers X 2 applications.= 450ml X 2 applications  
= 900 ml per crop period.
- 8.Method of usage** : Add 30 ml of tincture to 10 lts of water and spray or apply by hand  
around the clusters.15 such sprayers are needed per acre per  
application. 2 such applications per acre per crop period.
- 9.Schedule** : 1<sup>st</sup> application – At the time of transplantation or first wetting.  
2<sup>nd</sup> application – 30/40 days after transplantation.

Note : 1) Application in the evening hours,after wetting the soil is preferable to make  
the medicine more effective.

***Produce,eat and live naturally.***

**Contact:** **Master Agro Products,**  
**MIG-95,OZP Colony,**  
**Srikakulam-532001 Andhra Pradesh**  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
**Mob: 8639495640, 8500270180 & 9491817252**

Organic plant nutrient  
**“KANDARPA”**  
For Redgram crop

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



1. **Composition :** 1.Theobrome Ang 2.English Oak 3.Cimicifuga 4. Burm-F 5. Virginia Poke  
(Potentized as per Homoeopathic Pharmacopoeia of India)
2. **Source :** Botanical
3. **Action :** Acts as Complete plant Nutrient. Improves yields, quality of the nuts ,taste and shelf-life.
4. **Recommendation :** For Redgram crop.
5. **Packing :** 1 litres to 5 litres
6. **Expiry :** No Expiry
7. **Quantity per Acre :** 30ml x 15 sprayers X 4 applications.= 450ml X 4 applications  
= 1.80 litres per crop period.
8. **Method of usage :** Add 30 ml of tincture to 10 lts of water and spray or apply by hand around the clusters.15 such sprayers are needed per acre per application. 4 such applications per acre per crop period.
9. **Schedule :** 1<sup>st</sup> application – 10 days after sowing 2<sup>nd</sup> application – 40 days after sowing  
3<sup>rd</sup> application – 90 days after sowing 4<sup>th</sup> application – 135 days after sowing

Note : 1) Application in the evening hours,after wetting the soil is preferable to make the medicine more effective.

***Produce,eat and live naturally.***

**Contact:** Master Agro Products,  
MIG-95,OZP Colony,  
Srikakulam-532001  
Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)

**Mob: 8639495640, 8500270180 & 9491817252**

Organic plant nutrient

**“SASYA SYAMALA”**

*For Rice crop*

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



**Composition :** 1. Yarrow 2. English Oak 3. Greater calendium 4. Cateber bean  
(Potentized as per Homoeopathic Pharmacopoeia of India in dispensing alcohol)

**2. Expiry :** No Expiry

**3. Source :** Botanical

**4. Action :** Acts as a Complete plant nutrient.

**5. Recommendation :** For Rice crop

**6. Packing :** 1 acre to 10 acres.

**7. Qty Recommended :** 30ml X 15sprayers per application = 450ml X 4applications  
per crop period = 1.8 lts / crop period *per acre*

These are supplied in 4 bottles Marked 1, 1A, 2 & 3

**8. Method of usage and schedule :**

| Sl.No on the bottle                         | When to Use  | How to Use   |
|---|--|--|
| 1. (0 Days)                                 | One day before transplantation   | Add 30 ml of Tincture to 1lit of water and spray as soil application 15 such sprayers. |
| 1.A. 15 <sup>th</sup> DAY                   | 15 Days (Rabi & Khariff) after Transplantation                                       | --DO--   |
| 2 (25 <sup>th</sup> /30 <sup>th</sup> day)  | 25 Days (Rabi) or 30 days (Khariff) after transplantation (mid tillering stage)      | --DO--   |
| 3. (50 <sup>th</sup> /60 <sup>th</sup> day) | 50 days (Rabi) or 60 days (khariff) after Transplantation. Panicle initiation stage. | --DO--   |

Note : A gap of atleast 48hrs is to be maintained between application of Chemical pesticides & Weedcides and Homoeo Nutrients.

**9. Research Data of Scientific Experiments:**

**Yields in m.t / h.a**

| Year       | C.V        | No Manure | 100% Ch.Fert | 100 % homoeo | CD @ 5% |
|------------|------------|-----------|--------------|--------------|---------|
| 1987Kariff | RP – 17    | 2.4       | 2.98         | 2.79         | 0.35    |
| 1988kharif | RP – 17    | 4.95      | 5.23         | 5.40         | 0.44    |
| 1989kharif | MTU - 7029 | 4.87      | 6.40         | 6.39         | 0.205   |
| 1990karif  | MTU - 7029 | 4.53      | 4.97         | 4.75         | 0.22    |
| 1992karif  | MTU - 7029 | 3.72      | 3.80         | 4.28         | 0.27    |
| 91-92Rabi  | RGL – 2624 | 3.22      | 6.26         | 6.41         | 0.23    |
| 1992 karif | MTU - 7029 | 2.68      | 3.68         | 3.87         | 0.23    |
| 1992karif  | MTU - 7029 | 3.35      | 3.98         | 3.67         | 0.245   |
| 1992karif  | MTU - 7029 | 3.10      | 3.13         | 3.93         | 0.523   |

|            |            |      |      |      |       |
|------------|------------|------|------|------|-------|
| 1992karif  | MTU - 7029 | 3.20 | 3.28 | 3.68 | 0.486 |
| 1992karif  | MTU - 7029 | 3.72 | 3.8  | 4.28 | 0.31  |
| 1992karif  | MTU - 7029 | 3.24 | 3.55 | 4.22 | 0.268 |
| 1992karif  | MTU - 7029 | 4.03 | 4.77 | 4.13 | 0.24  |
| 92- 93rabi | IR – 64    | 3.23 | 6.26 | 6.41 | 0.67  |
| 1993karif  | MTU - 7029 | 5.35 | 6.07 | 6.22 | 0.30  |
| 93-94rabi  | IR - 64    | 3.22 | 3.84 | 3.70 | 0.46  |
| 1994karif  | MTU - 7029 | 2.68 | 3.68 | 3.88 | 0.455 |
| 94-95rabi  | MTU - 1001 | 2.83 | 5.00 | 4.83 | 0.882 |
| 94 –95rabi | IR – 64    | 3.26 | 4.22 | 4.22 | 0.187 |
| 1994karif  | BPT – 5204 | 4.34 | 4.77 | 4.92 | 0.189 |
| 1995karif  | MTU - 7029 | 4.62 | 5.57 | 5.60 | 0.272 |
| 1996karif  | BPT – 5204 | 3.28 | 4.03 | 3.63 | 0.21  |
| 1997karif  | BPT - 5204 | 3.69 | 3.73 | 4.07 | 0.257 |

1. Note: In all Experiments, the “Homoeo” Treatment is significant W.R. to “No manure” and either “ATPAR” or “Significant” W.R. to 100% chemical Fertilizers.

***Produce, eat and live naturally.***

**Contact: Master Agro Products,  
MIG-95, OZP Colony,  
Srikakulam-532001  
Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
Mob: 8639495640, 8500270180 & 9491817252**

# Organic plant nutrient

## “MAITREYA”

### Nutrient for all flowering plants and Vegetables

Fertilization of flowering plants and Vegetables needs to be carefully done, as these tiny plants are very sensitive in response to Fertilizers. Chemical fertilizers give a shock to the plants and make them susceptible to pests and diseases. Homoeo plant nutrients are safe and smooth in giving required nutrition to these sensitive plants, as they work on vital plane but not on physical plane. At the same time, the plants vital force is strengthened and no longer allow any pests and diseases to host on.



1. **Composition** : 1. Greater calendine 2. Yarrow 3. Ailanthus 4. Burm.f

(Potentized as per Homoeopathic pharmacopoeia of India)

2. **Expiry** : No Expiry

3. **Source** : Botanical

4. **Action** : Acts as a complete Plant Nutrient. Improves Yield, quality, fragrance, taste and shelf - life

5. **Recommendation** : 1. For Floriculture other than Roses 2. For all types of Vegetables.

6. **Packing** : a. 500 ml , 1 Lt, 5 Lt

7. a. **Quantity required** : 1. Floriculture :

a) House hold : 50 to 100 ml of mixture per plant.

b. Crops: 30 ml x 15 sprayers per acre per application.

c. 2. Vegetables : a) House hold : 50 to 100 ml of mixture per plant.

b. Crops: 30 ml x 15 sprayers per acre per application.

8. a. **Method of Application** : (Soil application)

1 (a). Add 5 ml of Tincture to 1 litre of water and apply 50 to 100 ml to each plant (according to size) on to the soil.

1 (b). Add 30ml of Tincture to 10 Litres of Water and apply to the soil when the soil is Wet. 15 such sprayers are needed per acre per application

9. Schedule : Apply once in a Month for Perennial (Flowering Plants) plants Once in 15 days for seasonal plants (vegetables) : Once in 15 days

10. Research data of Scientific Experimentation:

| Sl. No | Name of the Crop | No manure | Chem Fert | Homoeo |
|--------|------------------|-----------|-----------|--------|
| 1      | Amaranthus       | 0.6       | 0.81      | 0.92   |
| 2      | Ridge gourd      | 5.1       | 8.50      | 9.60   |
| 3      | Cauli flower     | 5.4       | 8.15      | 8.50   |
| 4      | Brinzol          | 4.7       | 11.8      | 15.50  |
| 5      | Tomato           | 34.2      | 56.7      | 65.30  |
| 6      | Maize            | 10.6      | 18.6      | 17.4   |
| 7      | Baby corn        | 2.2       | 4.5       | 5.1    |
| 8      | Onion            | 12.8      | 22.3      | 23.9   |
| 9      | Lady finger      | 2.2       | 4.8       | 5.1    |

*Note : 1) Application in the evening hours, after wetting the soil is preferable to make the medicine more effective.*

***Produce, eat and live naturally.***

**Contact: Master Agro Products,  
MIG-95, OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
Mob: 8639495640, 8500270180 & 9491817252**

# Organic plant nutrient

## “CHAITHRA RAGINI”

*For mango crop to induce flowering*

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



1. **Composition** : 1.English Oak 2.Yarrow 3.Theobrome Ang 4.Greater Calandine  
5. Burm-F (Potentized as per Homoeopathic Pharmacopoeia of India)
2. **Expiry** : No Expiry
3. **Source** : Botanical
4. **Action** : Acts as a nutrient to induce flowering.
5. **Recommendation** : For mango crop to induce flowering
6. **Packing** : 1 lt to 5 lts
7. **Qty Recommended** : 20ml X 10 litres of water per application
8. **Method of usage** : Add 20 ml of tincture to 10 lts of water and Spray on the leaves ( quantity of medicinal water to be sprayed will vary as per the size of the plant).  
1 such application per crop flowering period.
9. **Schedule** : *in the month of December or January before flowering.*

**Note :** 1) *Application in the evening hours, makes it more effective.*

**Produce, eat and live naturally.**

**Contact:** Master Agro Products,  
MIG-95, OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
Mob: 8639495640, 8500270180 & 9491817252

# Organic plant nutrient

## “CHAITHRA RAKSHINI”

*For mango crop FOR SEED SETTING*

Homoeopathic medicines of botanical origin, available in local homoeo pharmacies having the powers to give complete nutrition to plants are processed in different combinations for each crop.



1. **Composition** : 1. English Oak 2. Yarrow 3. Greater Calandine 5. Burm-F  
(Potentized as per Homoeopathic Pharmacopoeia of India)
2. **Expiry** : No Expiry
3. **Source** : Botanical
4. **Action** : Acts as a seed setting promoting agent Improves quality and pulp content.
5. **Recommendation** : For mango crop fro seed setting and reduce seed drop.
6. **Packing** : 1 lt to 5 lts
7. **Qty Recommended** : 20ml X 10 litres of water per application
8. **Method of usage** : Add 20 ml of tincture to 10 lts of water and spray on the white flowers.( quantity of medicinal water to be sprayed will vary as per the size of the plant).  
1 such application per crop flowering period.
9. **Schedule** : *in the month of December or January On white flowering.*

*Note : 1) Application in the evening hours, makes it more effective.*

**Produce,eat and live naturally.**

**Contact: Master Agro Products,  
MIG-95,OZP Colony,  
Srikakulam-532001 Andhra Pradesh  
[www.organichomoeonutrients.com](http://www.organichomoeonutrients.com)  
Mob: 8639495640, 8500270180 & 9491817252**